


MOUNTING DIMENSIONS

B-R..AM..




| Model | Input | Fig | b_5 | e_5 | f_5 | g_2 | g_5 | s_5 | z_5 | d_1 | l_1 | t_1 | u_1 |
|-------------------------------|-----------------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| B-R..27 B-R..37 | AM 63 | 1 | 95 | 115 | 3.5 | 120 | 140 | M8 | 72 | 11 | 23 | 12.8 | 4 |
| | AM 71 ¹⁾ | | 110 | 130 | | | 14 | | | 30 | 16.3 | 5 | |
| | AM 80 ¹⁾ | | 130 | 165 | 4.5 | | 200 | M10 | 106 | 19 | 40 | 21.8 | 6 |
| | AM 90 ¹⁾ | | | | | | 24 | | | 50 | 27.3 | 8 | |
| B-R..47 B-R..57 B-R..67 | AM 63 | 1 | 95 | 115 | 3.5 | 160 | 140 | M8 | 66 | 11 | 23 | 12.8 | 4 |
| | AM 71 | | 110 | 130 | | | 14 | | | 30 | 16.3 | 5 | |
| | AM 80 | | 130 | 165 | 4.5 | | 200 | M10 | 99 | 19 | 40 | 21.8 | 6 |
| | AM 90 | | | | | | 24 | | | 50 | 27.3 | 8 | |
| | AM 100 ¹⁾ | | 180 | 215 | 5 | | 250 | M12 | 134 | 28 | 60 | 31.3 | 8 |
| | AM 112 ¹⁾ | | | | | | 28 | | | 60 | 31.3 | 8 | |
| B-R..77 | AM 63 | 1 | 95 | 115 | 3.5 | 200 | 140 | M8 | 60 | 11 | 23 | 12.8 | 4 |
| | AM 71 | | 110 | 130 | | | 14 | | | 30 | 16.3 | 5 | |
| | AM 80 | | 130 | 165 | 4.5 | | 200 | M10 | 92 | 19 | 40 | 21.8 | 6 |
| | AM 90 | | | | | | 24 | | | 50 | 27.3 | 8 | |
| | AM 100 ¹⁾ | | 180 | 215 | 5 | | 250 | M12 | 126 | 28 | 60 | 31.3 | 8 |
| | AM 112 ¹⁾ | | | | | | 28 | | | 60 | 31.3 | 8 | |
| | AM 132S ¹⁾ | | 230 | 265 | 5 | | 300 | M12 | 179 | 38 | 80 | 41.3 | 10 |
| | AM 132M ¹⁾ | | | | | | 38 | | | 80 | 41.3 | 10 | |
| AM 132L ¹⁾ | 38 | 80 | 41.3 | 10 | | | | | | | | | |
| B-R..87 | AM 80 | 1 | 130 | 165 | 4.5 | 250 | 200 | M10 | 87 | 19 | 40 | 21.8 | 6 |
| | AM 90 | | | | | | 24 | | | 50 | 27.3 | 8 | |
| | AM 100 | | 180 | 215 | 5 | | 250 | M12 | 121 | 28 | 60 | 31.3 | 8 |
| | AM 112 | | | | | | 28 | | | 60 | 31.3 | 8 | |
| | AM 132S | | 230 | 265 | 5 | | 300 | M12 | 174 | 38 | 80 | 41.3 | 10 |
| | AM 132M | | | | | | 38 | | | 80 | 41.3 | 10 | |
| | AM 132L | | 250 | 300 | 6 | | 350 | M16 | 232 | 42 | 110 | 45.3 | 12 |
| | AM 160 ¹⁾ | | | | | | 48 | | | 51.8 | | 14 | |
| AM 180 ¹⁾ | 48 | 51.8 | 14 | | | | | | | | | | |
| B-R..97 | AM 100 | 1 | 180 | 215 | 5 | 300 | 250 | M12 | 116 | 28 | 60 | 31.3 | 8 |
| | AM 112 | | | | | | 28 | | | 60 | 31.3 | 8 | |
| | AM 132S | | 230 | 265 | 5 | | 300 | M12 | 169 | 38 | 80 | 41.3 | 10 |
| | AM 132M | | | | | | 38 | | | 80 | 41.3 | 10 | |
| | AM 132L | 250 | 300 | 6 | 350 | | M16 | 227 | 42 | 110 | 45.3 | 12 | |
| | AM 160 | | | | 48 | | | | 51.8 | | 14 | | |
| | AM 180 | 300 | 350 | 7 | 400 | | M16 | 268 | 55 | 140 | 59.3 | 16 | |
| | AM 200 | | | | 55 | | | | 59.3 | | 16 | | |
| | AM 225 ¹⁾ | 2 | 350 | 400 | 7 | | 450 | M16 | 283 | 60 | 140 | 64.4 | 18 |

1) Input Flange dai g_5 may protude below foot mounting level in foot-mounted gear units.

MOUNTING DIMENSIONS

B-R..AM..



| Model | Input | Fig | b_5 | e_5 | f_5 | g_2 | g_5 | s_5 | z_5 | d_1 | l_1 | t_1 | u_1 | | | | |
|----------|----------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|------|-----|
| B-R..107 | AM 100 | 1 | 180 | 215 | 5 | 350 | 250 | M12 | 110 | 28 | 60 | 31.3 | 8 | | | | |
| | AM 112 | | | | | | | | | | | | | | | | |
| | AM 132S | | 230 | 265 | | | 300 | | 163 | 38 | | 80 | 41.3 | 10 | | | |
| | AM 132M | | | | | | | | | | | | | | | | |
| | AM 160 | 250 | 300 | 6 | 350 | | M16 | 221 | 42 | 110 | 45.3 | 12 | | | | | |
| | AM 180 | | | | | | | | 48 | | 51.8 | 14 | | | | | |
| | AM 200 | 300 | 350 | 7 | 400 | | | 262 | 55 | | 59.3 | 16 | | | | | |
| | AM 225 | | | | | | | | | | | | 2 | 350 | 400 | 450 | 277 |
| B-R..137 | AM 132S | 1 | 230 | 265 | 5 | 400 | 300 | M12 | 156 | 38 | 80 | 41.3 | 10 | | | | |
| | AM 132M | | | | | | | | | | | | | | | | |
| | AM 132L | | 250 | 300 | | | 6 | | 350 | M16 | | 214 | 42 | 110 | 45.3 | 12 | |
| | AM 160 | | | | | | | | | | | | 48 | | 51.8 | 14 | |
| | AM 180 | 300 | 350 | 7 | 400 | | 255 | 55 | 59.3 | | 16 | | | | | | |
| | AM 200 | | | | | | | | | | | 2 | 350 | | 400 | 450 | 270 |
| | B-R..147 | AM 132S | 1 | 230 | 265 | | 5 | 450 | 300 | M12 | 148 | 38 | 80 | 41.3 | 10 | | |
| AM 132M | | | | | | | | | | | | | | | | | |
| AM 132L | | 250 | | 300 | 6 | 350 | | | M16 | | 206 | 42 | | 110 | 45.3 | 12 | |
| AM 160 | | | | | | | | | | | | 48 | | | 51.8 | 14 | |
| AM 180 | | 300 | 350 | 7 | 400 | 247 | 55 | | | 59.3 | 16 | | | | | | |
| AM 200 | | | | | | | | | | | | 2 | 350 | | 400 | 450 | 262 |
| AM 225 | | 450 | 500 | 7 | 550 | M16 | 336 | | 65 | 140 | 69.4 | 18 | | | | | |
| AM 250 | | | | | | | | | 75 | | 79.9 | 20 | | | | | |
| AM 280 | 2 | | | | | | | 450 | 500 | | 7 | 550 | 328 | 75 | 140 | 69.4 | 18 |
| AM 225 | | | | | | | | | | | | | | | | | |
| B-R..167 | AM 160 | 1 | 250 | 300 | 6 | 550 | 350 | M16 | 198 | 42 | 110 | 45.3 | 12 | | | | |
| | AM 180 | | | | | | | | | 48 | | 51.8 | 14 | | | | |
| | AM 200 | 300 | 350 | 7 | | | 400 | | 239 | 55 | | 59.3 | 16 | | | | |
| | AM 225 | | | | | | | | | | | | | 2 | 350 | 400 | 450 |
| | AM 250 | 450 | 500 | 7 | 550 | | M16 | 328 | 75 | 140 | 69.4 | 18 | | | | | |
| | AM 280 | | | | | | | | | | | | 75 | 79.9 | 20 | | |